St.Georges Hwy. Bridge
Horz. Clearance = 500ft.
Vert. Clearance = 135ft. above MHW.

SR-1 St.Georges Bridge
Horz. Clearance = 450ft.
Vert. Clearance = 138ft. above MHW.

Eastern Natural Gas Co.
Submarine gas pipeline
55ft. below MLW.

19 MAR 12 — 21 MAR 12

The information depicted on this map represent the results of surveys made on the dates indicated and can only be considered as indicating the

The positions of the aids to navigation are provided for information only, and should not be used for navigation.

NOTE:
Soundings were selected for plotting purposes only, using the minimum depth within a 30'x30' cell, and shifted to the cell's center. Coastal Oceanographic's Hypack Matrix program was used to perform the sounding selection.

This survey meets standards as outlined in Corps of Engineers Hydrographic Survey Manual EM 1110-2-1003, Dated January 1, 2002 for Navigation and Dredging Support Surveys.

Horizontal reference – NAD 83, Delaware State Plane, Zone 0700, U.S.Foot.

Vertical reference – Mean Lower Low Water, which is below N.A.V.D. 88 by the following:
from Sta.26+000 to Sta.26+447.27 it is 2.62'
from Sta.26+447.27 to Sta.27+377.74 it is 2.60'
from Sta.27+377.74 to Sta.28+308.21 it is 2.58'
from Sta.28+308.21 to Sta.29+238.68 it is 2.57'
from Sta.29+238.68 to Sta.30+210.05 it is 2.55'
from Sta.30+210.05 to Sta.32+403.62 it is 2.51'
from Sta.32+403.62 to Sta.33+403.86 it is 2.48'

NOAA's Tidal Epoch-1983-2001

Soundings are expressed in Feet & Tenths and refer to Mean Lower Low Water.

36' Curve of Depth shown thus :

Scale in Feet
200 0 200 400 600

US Army Corps of Engineers
Philadelphia District

Rev. | Date | Description

Designed by: | Date:
Drawn by: | Det by: | JFB W912BU-
Reviewed by: | Drawing code:
Submitted by: | File name: 04/04/2012
Chief, Arch. Branch. | Plot date: 04/04/2012
Plot scale: 1in to 200 ft

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY J.A.Groch
PLOTTED BY J.A.Caraballo
DRAWING NO. 63292
DATE SURVEYED As Shown
APPROVED
SURVEYED BY J.Gray
CHIEF, ARCH. BRANCH

INLAND WATERWAY
CHESAPEAKE & DELAWARE CANAL
EXAMINATION
STA.26+000 TO STA.33+403.86

Sheet reference number:
Sheet 5 of 15



The information depicted on this map represent the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

The positions of the aids to navigation are provided for information only, and should not be used for navigation.

NOTE:
Soundings were selected for plotting purposes only, using the minimum depth within a 30'x30' cell, and shifted to the cell's center. Coastal Oceanographic's Hypack Matrix program was used to perform the sounding selection.

This survey meets standards as outlined in Corps of Engineers Hydrographic Survey Manual EM 1110-2-1003, Dated January 1, 2002 for Navigation and Dredging Support Surveys.

Horizontal reference – NAD 83, Delaware State Plane, Zone 0700, U.S.Foot.

Vertical reference – Mean Lower Low Water, which is below N.A.V.D. 88 by the following:
from Sta.33+403.86 to Sta.34+404.12 it is 2.46'
from Sta.34+404.12 to Sta.35+404.40 it is 2.44'
from Sta.35+404.40 to Sta.39+268.19 it is 2.39'
from Sta.39+268.19 to Sta.40+093.21 it is 2.35'

NOAA's Tidal Epoch-1983-2001

Soundings are expressed in Feet & Tenths and refer to Mean Lower Low Water.

36' Curve of Depth shown thus : ———

US Army Corps of Engineers
Philadelphia District

Mark	Date	Description

Designed by:	Date:	Rev.	
Drn. by:	Ckd. by:	Drawing code:	EFB W912BU-
Reviewed by:		File name:	04/03/2012
Submitted by:		Plot date:	
Chief, Arch. Branch		Plot scale:	1in to 200 ft

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	PLOTTED BY	DRAWING NO	63290
J.A.Groch	J.A.Caraballo	APPROVED	
SURVEYED BY	DATE SURVEYED	CHIEF, DIV. BRANCH	
J.Gray	19 Mar 12		

INLAND WATERWAY
CHESAPEAKE & DELAWARE CANAL
EXAMINATION

STA.33+403.86 TO STA.40+093.21

Sheet reference number:

Sheet 6 of 15



US Army Corps of Engineers
Philadelphia District

Mark	Date	Description
Rev.	Date:	
	Des. by:	Designed by:
	Ord. by:	Drawn by:
	IFB W912BU-	Reviewed by:
	Drawing code:	Submitted by:
	File name:	Chief, Arch. Branch
	Plot date: 04/03/2012	
	Plot scale: 1in to 200 ft	

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	J.A.Groch	DRAWING NO.	63291
PLOTTED BY	J.A.Caraballo	APPROVED	Chief, Arch. Branch
DATE SURVEYED	19 Mar 12		
SURVEYED BY	J.Gray		

INLAND WATERWAY
CHESAPEAKE & DELAWARE CANAL
EXAMINATION
STA.40+093.21 TO STA.46+782.84

Sheet reference number:

Sheet 7 of 15



US Army Corps of Engineers
Philadelphia District

Date Appr
Description
Mark
Date Appr
Description
Mark

Designed by:
Drawn by:
Checked by:
Reviewed by:
Submitted by:
Chief, Arch. Branch
Date:
IFB W912BU-
Drawing code:
File name:
Plot date: 05/08/2012
Plot scale: 1in is 200 ft
Rev.

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY J.A.Grech
PLOTTED BY J.A.Caraballo
DRAWING NO. 63330
DATE SURVEYED As Shown
APPROVED
SURVEYED BY J.Gray
For Joseph Bloor

INLAND WATERWAY
CHESAPEAKE & DELAWARE CANAL
EXAMINATION
STA.46+782.84 TO STA.53+500

Sheet reference number:
Sheet 8 of 15

This survey meets standards as outlined in Corps of Engineers Hydrographic Survey Manual EM 1110-2-1003, Dated January 1, 2002 for Navigation and Dredging Support Surveys.

Horizontal reference – NAD 83, Delaware State Plane, Zone 0700, U.S.Foot.

Vertical reference – Mean Lower Low Water, which is below N.A.V.D. 88 by the following:
from Sta.46+782.84 to Sta.47+743.70 it is 2.19'
from Sta.47+743.70 to Sta.48+704.56 it is 2.17'
from Sta.48+704.56 to Sta.49+665.44 it is 2.16'
from Sta.49+665.44 to Sta.50+673.35 it is 2.14'
from Sta.50+673.35 to Sta.52+272.58 it is 2.11'
from Sta.52+272.58 to Sta.53+500 it is 2.02'

NOAA's Tidal Epoch-1983-2001

Soundings are expressed in Feet & Tenths and refer to Mean Lower Low Water.

36' Curve of Depth shown thus : ———

NOTE:
Soundings were selected for plotting purposes only, using the minimum depth within a 30'x30' cell, and shifted to the cell's center. Coastal Oceanographic's Hypack Matrix program was used to perform the sounding selection.

The information depicted on this map represent the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

The positions of the aids to navigation are provided for information only, and should not be used for navigation.

Scale in Feet
200 0 200 400 600