

This survey meets standards as outlined in CORPS of ENGINEERS hydrographic survey manual EM1110-2-1003, dated January 1, 2002 for navigation and dredging support surveys.

Horizontal reference – NAD 83, New Jersey State Plane, Zone 2900, U.S.Foot.

Vertical reference – Mean Lower Low Water, which is 3.06' below N.A.V.D. 88.

NOAA's Tidal Epoch-1983-2001

Soundings are expressed in Feet & Tenths and refer to Mean Lower Low Water.

45' Curve of Depth shown thus : ———

46' Curve of Depth shown thus : – – – – – – – –

The information depicted on this map represent the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

The positions of the aids to navigation are provided for information only, and should not be used for navigation.

NOTE:
Soundings were selected for plotting purposes only, using the minimum depth within a 30'x30' cell, and shifted to the cell's center. Coastal Oceanographic's Hypack Matrix program was used to perform the sounding selection.

US Army Corps of Engineers
Philadelphia District

Rev.	Description	Date	Appr.

Designed by:
Dwn by:
Date:
Ckd by:
Reviewed by:
IFB DACW61-
Submitted by:
Chief, Arch. Branch
Quadrangle Name: Philadelphia
Plot date: 02/09/2012
Plot scale: 1in to 200 ft

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY J.A.Groch
PLOTTED BY M.Gaughan
SURVEYED BY G.Griffith
DRAWING NO. 63191
DATE SURVEYED 01 Feb 12
APPROVED
CHIEF, SURVEY BRANCH

DELAWARE RIVER
PHILADELPHIA TO THE SEA
MIFFLIN RANGE
STA.55+373.78 TO STA.60+000
EXAMINATION

Sheet reference number:

Sheet 1 of 3



This survey meets standards as outlined in CORPS of ENGINEERS hydrographic survey manual EM1110-2-1003, dated January 1, 2002 for navigation and dredging support surveys.

Horizontal reference – NAD 83, New Jersey State Plane, Zone 2900, U.S.Foot.

Vertical reference – Mean Lower Low Water, which is 3.06' below N.A.V.D. 88.

NOAA's Tidal Epoch-1983-2001

Soundings are expressed in Feet & Tenths and refer to Mean Lower Low Water.

40' Curve of Depth shown thus : ————

42' Curve of Depth shown thus : — — — — — — —

The information depicted on this map represent the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

The positions of the aids to navigation are provided for information only, and should not be used for navigation.

NOTE:
Soundings were selected for plotting purposes only, using the minimum depth within a 30'x30' cell, and shifted to the cell's center. Coastal Oceanographic's Hypack Matrix program was used to perform the sounding selection.

US Army Corps of Engineers
Philadelphia District

Date / Appr / Description / Mark

Rev. / Date: / Designed by: / Drn. by: / Ckd. by: / Reviewed by: / Submitted by: / Chief, Arch. Branch / Quadrangle Name: Philadelphia / Plot date: 02/09/2012 / Plot scale: 1in is 200 ft / FB W912BU-

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY J.A.Groch
PLOTTED BY J.A.Caraballo
DRAWING NO. 63192
SURVEYED BY G.Griffith
DATE SURVEYED 7 Feb 12
APPROVED
CHIEF, DESIGN BRANCH

DELAWARE RIVER
PHILADELPHIA TO THE SEA
MIFFLIN RANGE
STA.60+000 TO STA.66+500
EXAMINATION

Sheet reference number:

Sheet 2 of 3

PARKING AREA

AIR FORCE

TANKS

TANK

SERVICE ROAD

Buoy #1F
Flashing
Red
Light

Z2+574.21

Z2+000

Z1+500

Z1+202.27

Z1+000

Z0+500

Z0+000

69+500

69+000

68+500

68+000

67+500

67+000

66+500

8 Jan 12 — 7 Jan 12

This survey meets standards as outlined in CORPS of ENGINEERS hydrographic survey manual EM1110-2-1003, dated January 1, 2002 for navigation and dredging support surveys.

Horizontal reference – NAD 83, New Jersey State Plane, Zone 2900, U.S.Foot.

Vertical reference – Mean Lower Low Water, which is 3.06' below N.A.V.D. 88.

NOAA's Tidal Epoch-1983-2001

Soundings are expressed in Feet & Tenths and refer to Mean Lower Low Water.

40' Curve of Depth shown thus :

42' Curve of Depth shown thus :

NOTE:
Soundings were selected for plotting purposes only, using the minimum depth within a 30'x30' cell, and shifted to the cell's center. Coastal Oceanographic's Hypack Matrix program was used to perform the sounding selection.

The information depicted on this map represent the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

The positions of the aids to navigation are provided for information only, and should not be used for navigation.

Scale in Feet
200 0 200 400 600

US Army Corps of Engineers
Philadelphia District

Designed by:	Date:	Rev.
Dwn by:	Chd by:	IFB W912BJ-
Reviewed by:	Quadrangle Name: Woodbury	
Submitted by:	Proj. date: 02/10/2012	
Chief, Arch. Branch	Plot. scale: 1in. to 200 ft	

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	PLOTTED BY	DRAWING NO
J.A.Groch	J.A.Caraballo	63196
SURVEYED BY	DATE SURVEYED	APPROVED
G.Griffith	As Shown	Chief, Arch. Branch

DELAWARE RIVER
PHILADELPHIA TO THE SEA
MIFFLIN RANGE
STA.66+500 TO STA.72+574.21
EXAMINATION

Sheet reference number:

Sheet 3 of 3